

FOR PEOPLE LIVING WITH IDIOPATHIC PULMONARY FIBROSIS (IPF) REFUSE TO LET IPF BE THE ONLY THING THAT TAKES YOUR BREATH AWAY.

JOIN US FOR A FREE EDUCATIONAL SEMINAR IN YOUR AREA.

- ▶ **Learn** more about a lung disease affecting families every day
- ▶ **Discuss** Esbriet® (pirfenidone), a treatment option that is FDA approved to treat IPF
- ▶ **Connect** with others living with and caring for individuals with IPF
- ▶ **Hear** an Ambassador's story of living with and fighting IPF

**It's Time to Take Action
Against IPF, Register Today.**



Call to Register. It's Easy.
1-844-682-7238

INDICATION

Esbriet® (pirfenidone) is a prescription medicine used to treat people with a lung disease called idiopathic pulmonary fibrosis (IPF).

What should I tell my doctor before taking Esbriet?

Before you take Esbriet, tell your doctor if you:

- ▶ have liver problems
 - ▶ have kidney problems
 - ▶ are a smoker
 - ▶ have any other medical conditions
 - ▶ are pregnant or plan to become pregnant. It is not known if Esbriet will harm your unborn baby.
 - ▶ are breastfeeding or plan to breastfeed. It is not known if Esbriet passes into your breast milk.
- You and your doctor should decide if you will take Esbriet or breastfeed.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.



GARY H.
ESBRIET AMBASSADOR

DATE:

Tuesday, October 17, 2017
Registration: 2:30 PM
Program: 3:00 PM

LOCATION:

Hilton Garden Inn Wilkes-Barre
242 Highland Park Blvd.
Wilkes-Barre, PA 18702

PRESENTERS:

Jeffrey Wolf, MD, MBA, FCCP, FACP
Hofstra University School of Medicine
Jag C.
Living with IPF Since 2006

Complimentary refreshments and parking will be provided. Wheelchair accessible.
You are welcome to bring a friend or a family member.

The information you receive at the program should not replace discussions with your healthcare team. Please contact your healthcare team with questions about your condition and treatment, including any side effects you may experience while you are taking Esbriet.

Please see select important safety information for Esbriet® (pirfenidone) on reverse. For full prescribing information, including patient information and additional important safety information, please visit Esbriet.com.

Indication and Select Important Safety Information

About Esbriet

Esbriet is a prescription medicine used to treat people with a lung disease called idiopathic pulmonary fibrosis (IPF).

It is not known if Esbriet is safe and effective in children

Select Important Safety Information

Before you take Esbriet, tell your doctor about all of your medical conditions, including if you:

- ▶ have liver problems
- ▶ have kidney problems
- ▶ are a smoker
- ▶ are pregnant or plan to become pregnant. It is not known if Esbriet will harm your unborn baby.
- ▶ are breastfeeding or plan to breastfeed. It is not known if Esbriet passes into your breast milk. You and your doctor should decide if you will take Esbriet or breastfeed.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What should I avoid while taking Esbriet?

- ▶ Sunlight. Esbriet can make your skin sensitive to the sun and the light from sunlamps and tanning beds. You could get a severe sunburn. Use sunscreen (SPF 50) and wear a hat and clothes that cover your skin if you have to be in sunlight. Talk to your doctor if you get sunburn or a rash.
- ▶ Taking Esbriet with other medicines that can make your skin sensitive to the sun, the light from sunlamps and tanning beds.
- ▶ Smoking. Smoking may affect how well Esbriet works.

What are the possible side effects of Esbriet?

Esbriet may cause serious side effects, including:

- ▶ **liver problems.** Call your doctor right away if you have unexplained symptoms such as yellowing of your skin or the white part of your eyes (jaundice), dark or brown (tea-colored) urine, pain on the upper right side of your stomach area (abdomen), bleeding or bruising more easily than normal, or feeling tired. Your doctor will do blood tests to check how your liver is working during your treatment with Esbriet.
- ▶ **sensitivity to sunlight (photosensitivity) and rash.** See “What should I avoid while taking Esbriet?”
- ▶ **stomach problems.** Esbriet may cause stomach problems such as nausea, vomiting, diarrhea, indigestion, heartburn, and stomach pain. Tell your doctor right away if your stomach problems get worse or do not go away. Your doctor may need to change your dose of Esbriet.

The most common side effects of Esbriet include feeling tired, insomnia, upper respiratory tract infections, sinusitis, headache, dizziness, decreased weight and decreased or loss of appetite.

These are not all the possible side effects of Esbriet.

Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch. You may also report side effects to Genentech at 1-888-835-2555.

For full prescribing information, including patient information and additional important safety information, please visit Esbriet.com.